

GRAND VITARA

2009

SUZUKI RECOMMENDED MAINTENANCE SCHEDULE

99990-SEVIT-09E



Way of Life!

FACTORY RECOMMENDED MAINTENANCE SCHEDULE For Canadian Driving Conditions

The following pages include the factory recommended Maintenance Schedule for Canadian Driving Conditions. Following this schedule will ensure optimum reliability and durability of your vehicle and enhance its resale value.

For your records, your Dealer will fill in and sign the Owner Copy for each scheduled service that is performed. Your Dealer will also remove the Dealer Copy for that service. Once removed, the next scheduled service interval will appear through the window on the Maintenance Schedule cover of this booklet.

ADDITIONAL MAINTENANCE REQUIREMENTS:

Every 250,000 km or 150 monthsReplace fuel filter

Every 250,000 km or 180 monthsReplace EVAP canister

After first replacement atReplace Engine Coolant
150,000 km or 90 months and every Super (blue)

75,000 km or 45 months thereafter

OWNER COPY



Next Service Interval
5,000 km or 3 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
10,000 km or 6 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A +

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Manual transmission oil

Transfer oil

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter

Differential oil



Next Service Interval
15,000 km or 9 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
20,000 km or 12 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
25,000 km or 15 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service B

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Drive belt (tension check)
- Clutch (pedal & fluid level)
(M/T)
- Brake hoses & pipes
- Brake fluid (level check)
- Brake pedal (stroke check)
- Parking brake lever & cable
(lever movement check)
- Wheel bearings
- Suspension system

REPLACE OR CHANGE

- Engine oil & oil filter
- Air filter element
- Manual transmission oil
- Automatic transmission oil
- Transfer oil
- Differential oil



Next Service Interval
30,000 km or 18 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Exhaust pipes & mountings
- Air filter element
- Disc brakes, drums, pads &
shoes
- Wheels, tires (including tire
rotation)
- Suspension system (bolts &
nuts)
- Propeller shafts / Drive
shafts
- Steering system (steering
wheel movement, linkage)
- Power steering (if equipped)
- All latches, hinges & locks
- A/C filter element

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval
35,000 km or 21 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
40,000 km or 24 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
45,000 km or 27 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
50,000 km or 30 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service C

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Drive belt (tension check)

Valve clearance (2.4 L
engine)

Cooling system, hoses &
connections

Exhaust pipes & mountings

Ignition coil (plug cap)

Fuel tank & cap

Fuel lines & connections

Clutch (pedal & fluid level)
(M/T)

Disc brakes, drums, pads &
shoes

Brake hoses & pipes

Brake fluid (level check)

Brake pedal (stroke check)

Parking brake lever & cable
(lever movement check)

Wheels, tires (including tire
rotation)

Wheel bearings

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if
equipped)

All latches, hinges & locks

REPLACE OR CHANGE

Engine oil & oil filter

Engine coolant, Standard
(Green)

Air filter element

Manual transmission oil

Automatic transmission oil

Transfer oil

Differential oil

A/C filter element



Next Service Interval
55,000 km or 33 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
60,000 km or 36 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
65,000 km or 39 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
70,000 km or 42 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
75,000 km or 45 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service B +

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Drive belt (tension check)
- Clutch (pedal & fluid level) (M/T)
- Brake hoses & pipes
- Brake fluid (level check)
- Brake pedal (stroke check)
- Parking brake lever & cable (lever movement check)
- Wheel bearings
- Automatic transmission fluid hose
- Suspension system

REPLACE OR CHANGE

- Engine oil & oil filter
- Air filter element
- Manual transmission oil
- Automatic transmission oil
- Transfer oil
- Differential oil



Next Service Interval
80,000 km or 48 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Exhaust pipes & mountings
- Air filter element
- Disc brakes, drums, pads & shoes
- Wheels, tires (including tire rotation)
- Suspension system (bolts & nuts)
- Propeller shafts / Drive shafts
- Steering system (steering wheel movement, linkage)
- Power steering (if equipped)
- All latches, hinges & locks
- A/C filter element

REPLACE OR CHANGE

- Engine oil & oil filter

OWNER COPY



Next Service Interval
85,000 km or 51 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
90,000 km or 54 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads & shoes

Wheels, tires (including tire rotation)

Suspension system (bolts & nuts)

Propeller shafts / Drive shafts

Steering system (steering wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter

OWNER COPY



Next Service Interval
95,000 km or 57 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
100,000 km or 60 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA

Service D

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Drive belt (tension check)
- Valve clearance (2.4 L engine)
- Cooling system, hoses & connections
- Exhaust pipes & mountings
- Emission related hoses & tubes
- Ignition coil (plug cap)
- Fuel tank & cap
- Fuel lines & connections
- Clutch (pedal & fluid level) (M/T)
- Disc brakes, drums, pads & shoes
- Brake hoses & pipes
- Brake pedal (stroke check)
- Parking brake lever & cable (lever movement check)
- Wheels, tires (including tire rotation)

- Wheel bearings
- Suspension system (bolts & nuts)
- Propeller shafts
- Steering system (steering wheel movement, linkage)
- Power steering (if equipped)
- All latches, hinges & locks

REPLACE OR CHANGE

- Engine oil & oil filter
- Engine coolant, Standard (Green)
- Spark plugs
- Air filter element
- Canister air suction filter
- Brake fluid
- Manual transmission oil
- Automatic transmission
- Transfer oil
- Differential oil
- A/C filter element



Next Service Interval
105,000 km or 63 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
110,000 km or 66 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
115,000 km or 69 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
120,000 km or 72 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
125,000 km or 75 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service B

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Drive belt (tension check)
- Clutch (pedal & fluid level)
(M/T)
- Brake hoses & pipes
- Brake fluid (level check)
- Brake pedal (stroke check)
- Parking brake lever & cable
(lever movement check)
- Wheel bearings
- Suspension system

REPLACE OR CHANGE

- Engine oil & oil filter
- Air filter element
- Manual transmission oil
- Automatic transmission oil
- Transfer oil
- Differential oil



Next Service Interval
130,000 km or 78 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Exhaust pipes & mountings
- Air filter element
- Disc brakes, drums, pads &
shoes
- Wheels, tires (including tire
rotation)
- Suspension system (bolts &
nuts)
- Propeller shafts / Drive
shafts
- Steering system (steering
wheel movement, linkage)
- Power steering (if equipped)
- All latches, hinges & locks
- A/C filter element

REPLACE OR CHANGE

- Engine oil & oil filter

OWNER COPY



Next Service Interval
135,000 km or 81 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
140,000 km or 84 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)


Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



OWNER COPY



Next Service Interval
145,000 km or 87 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY
 Air filter element

REPLACE OR CHANGE
 Engine oil & oil filter



Next Service Interval
150,000 km or 90 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service C +

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY
 Drive belt (tension check)
 Valve clearance (2.4 L engine)
 Cooling system, hoses &
connections
 Exhaust pipes & mountings
 Ignition coil (plug cap)
 Fuel tank & cap
 Fuel lines & connections
 Clutch (pedal & fluid level)
(M/T)
 Disc brakes, drums, pads &
shoes
 Brake hoses & pipes
 Brake fluid (level check)
 Brake pedal (stroke check)
 Parking brake lever & cable
(lever movement check)
 Wheels, tires (including tire
rotation)
 Wheel bearings

Automatic transmission fluid
hose
 Suspension system (bolts &
nuts)
 Propeller shafts / Drive
shafts
 Steering system (steering
wheel movement, linkage)
 Power steering (if equipped)
 All latches, hinges & locks

REPLACE OR CHANGE
 Engine oil & oil filter
 Engine coolant, Standard
(Green)
 Engine coolant, Super (Blue,
first change)
 Air filter element
 Manual transmission oil
 Automatic transmission oil
 Transfer oil
 Differential oil
 A/C filter element

OWNER COPY



Next Service Interval
155,000 km or 93 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
160,000 km or 96 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
165,000 km or 99 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Lubrication Service

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Air filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
170,000 km or 102 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

Exhaust pipes & mountings

Air filter element

Disc brakes, drums, pads &
shoes

Wheels, tires (including tire
rotation)

Suspension system (bolts &
nuts)

Propeller shafts / Drive
shafts

Steering system (steering
wheel movement, linkage)

Power steering (if equipped)

All latches, hinges & locks

A/C filter element

REPLACE OR CHANGE

Engine oil & oil filter



Next Service Interval
175,000 km or 105 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service B

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Drive belt (tension check)
- Clutch (pedal & fluid level) (M/T)
- Brake hoses & pipes
- Brake fluid (level check)
- Brake pedal (stroke check)
- Parking brake lever & cable (lever movement check)
- Wheel bearings
- Suspension system

REPLACE OR CHANGE

- Engine oil & oil filter
- Air filter element
- Manual transmission oil
- Automatic transmission oil
- Transfer oil
- Differential oil



Next Service Interval
180,000 km or 108 Months
whichever comes first

Factory Recommended Maintenance Schedule for Canadian Driving Conditions

2009 GRAND VITARA Service A

INSPECT, CLEAN, ADJUST,
LUBRICATE, TIGHTEN OR
REPLACE AS NECESSARY

- Exhaust pipes & mountings
- Air filter element
- Disc brakes, drums, pads & shoes
- Wheels, tires (including tire rotation)
- Suspension system (bolts & nuts)
- Propeller shafts / Drive shafts
- Steering system (steering wheel movement, linkage)
- Power steering (if equipped)
- All latches, hinges & locks
- A/C filter element

REPLACE OR CHANGE

- Engine oil & oil filter