

# ***SWIFT<sup>+</sup>***

# **2009**

---

## **SUZUKI RECOMMENDED MAINTENANCE SCHEDULE**



**Way of Life!**

## **FACTORY RECOMMENDED MAINTENANCE SCHEDULE For Canadian Driving Conditions**

The following pages include the factory recommended Maintenance Schedule for Canadian Driving Conditions. Following this schedule will ensure optimum reliability and durability of your vehicle and enhance its resale value.

For your records, your Dealer will fill in and sign the Owner Copy for each scheduled service that is performed. Your Dealer will also remove the Dealer Copy for that service. Once removed, the next scheduled service interval will appear through the window on the Maintenance Schedule cover of this booklet.

### **ADDITIONAL MAINTENANCE REQUIREMENTS:**

- Every 240,000 km or 60 months .....Replace engine coolant (Dex-cool)

OWNER COPY



Next Service Interval  
6,000 km or 3 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
12,000 km or 6 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element

OWNER COPY



Next Service Interval  
18,000 km or 9 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
24,000 km or 12 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service B

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel lines & connections
- Air cleaner element
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)

- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element  
 Brake/Clutch fluid

OWNER COPY

OWNER COPY



Next Service Interval  
30,000 km or 15 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
36,000 km or 18 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element

OWNER COPY



Next Service Interval  
42,000 km or 21 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
48,000 km or 24 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service C

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel filter
- Fuel lines & connections
- EVAP canister & vapor lines
- EVAP canister vent valve filter
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)

- Manual transmission fluid
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)
- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE

- Engine oil & oil filter
- Air cleaner element
- A/C filter element
- Brake/Clutch fluid

OWNER COPY

OWNER COPY



Next Service Interval  
54,000 km or 27 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
60,000 km or 30 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A+

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element
- Automatic transmission fluid
- Spark plugs

OWNER COPY



Next Service Interval  
66,000 km or 33 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
72,000 km or 36 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service B

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel lines & connections
- Air cleaner element
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)

- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element  
 Brake/Clutch fluid

OWNER COPY



Next Service Interval  
78,000 km or 39 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+

#### Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
84,000 km or 42 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+

#### Service A

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element

OWNER COPY



Next Service Interval  
90,000 km or 45 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
96,000 km or 48 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service D

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel lines & connections
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)

- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element
- Brake/Clutch fluid
- Air cleaner element
- EVAP canister vent valve filter

OWNER COPY



Next Service Interval  
102,000 km or 51 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
108,000 km or 54 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element

OWNER COPY

OWNER COPY



Next Service Interval  
114,000 km or 57 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
120,000 km or 60 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service B+

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel lines & connections
- Air cleaner element
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)
- Chassis & underbody bolts & nuts (tight/secure)

- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element
- Brake/Clutch fluid
- Automatic transmission fluid
- Spark plugs

OWNER COPY



Next Service Interval  
126,000 km or 63 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
132,000 km or 66 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element

OWNER COPY

OWNER COPY



Next Service Interval  
138,000 km or 69 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
144,000 km or 72 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service C+

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel filter
- Fuel lines & connections
- EVAP canister & vapor lines
- EVAP canister vent valve filter
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)

- Manual transmission fluid
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)
- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE  
 Engine oil & oil filter  
 Air cleaner element  
 A/C filter element  
 Brake/Clutch fluid  
 Fuel filter

OWNER COPY

OWNER COPY



Next Service Interval  
150,000 km or 75 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE

- Engine oil & oil filter



Next Service Interval  
156,000 km or 78 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A+

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element
- Timing belt
- Valve clearance

OWNER COPY

OWNER COPY



Next Service Interval  
162,000 km or 81 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
168,000 km or 84 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service B

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Cooling system, hoses & connections
- Engine coolant (Dex-cool)
- Fuel lines & connections
- Air cleaner element
- PCV system
- Exhaust pipes & mountings
- Front brake pads & discs
- Rear brake drums & linings
- Parking brake
- Brake lines & connections (including booster)
- Automatic transmission fluid
- Chassis & underbody bolts & nuts (tight/secure)

- Tire rotation, condition & inflation pressure
- Steering - wheel/linkage, fluid/lines
- Drive shaft boots
- Safety belts, buckles & anchorages
- Lubricate locks, hinges & hood latch

REPLACE OR CHANGE  
 Engine oil & oil filter  
 A/C filter element  
 Brake/Clutch fluid

OWNER COPY



Next Service Interval  
174,000 km or 87 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Lubrication Service

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Air cleaner element
- A/C filter element
- Front brake pads & discs

REPLACE OR CHANGE  
 Engine oil & oil filter



Next Service Interval  
180,000 km or 90 Months  
whichever comes first

### Factory Recommended Maintenance Schedule for Canadian Driving Conditions

#### 2009 Swift+ Service A+

INSPECT, CLEAN, ADJUST,  
LUBRICATE OR REPLACE AS  
NECESSARY

- Drive belts (alternator, A/C compressor, power steering pump)
- Engine coolant (Dex-cool)
- Air cleaner element
- PCV system
- Brake/Clutch fluid
- Front brake pads & discs
- Rear brake drums & linings
- Tire rotation, condition & inflation pressure
- Drive shaft boots

REPLACE OR CHANGE

- Engine oil & oil filter
- A/C filter element
- Automatic transmission fluid
- Spark plugs